

2015

www.blademaster.com

MARKET



THE CHOICE OF PROFESSIONALS



P.O. Box 970, 566 Riverview Drive Chatham, ON Canada N7M 5L5
Telephone: 1-519-352-4550
Toll-Free: 1-888-648-7776

Toll-Free: 1-888-648-7776
Fax: 1-519-352-7676
Toll-Free Fax: 1-800-667-8742

E-mail: blademaster@guspro.com



WWW.BLADEMASTER.COM

USA Distributor

New England Sports Sales Inc. 22 Prospect St. Unit 6

Woburn, MA 01801
Telephone: 1-781-932-4648
Toll-Free: 1-800-878-4648

Fax: 1-781-932-6695 E-mail: nessi2000@sprintmail.com

- 20+ years as the official skate sharpener for SPHEM
- Official and exclusive supplier to 8 of the top national teams.
- Blademaster is global. Our equipment can be found in over 50 countries.
- Toll-free access to customer service and technical support.*
- Setup and training included with all machine purchases.*
- We support what we sell, and maintain an extensive inventory for service and repair.
- 80+ years of manufacturing and design expertise.
- Manufactured 100% in-house from raw material to finished product in our modern 100,000 sqft facility.
- Bilingual (English/French)

* North America only.

Blademaster Proudly Supports













THE #1 SKATE CARE COMPANY WORLD-WIDE



BLADEMASTER IS THE OFFICIAL & EXCLUSIVE SUPPLIER TO THESE NATIONAL HOCKEY FEDERATIONS:





IIISA















REPUBLIC

BLADEMASTER SKATE SHARPENING MACHINES

Optional CRM6KIT

Standard on all Tabletop Machines

- Built-in cross-grind dresser
- Low profile, heavy-duty casters
- Scratch resistant Lexan safety shield
- Service filter indicator light
- Keyed lockout
- Safety glasses
- Sweep tray and vacuum hose
- Blademaster promotional banner
- Premium-grade grinding wheels
- One year manufacturer's warranty

- CRM6 Single Point Custom **Radius Contouring System**
- 1 BHC2005 Height Comparator Gauge
- 1 CBCTG Custom Radius Contour Gauge

(see pages 22 and 23)

- 1 BR100 Skate Gauge
- 6 8MXRUBY Grinding Wheels
- 6 8VBP Grinding Wheels
- 2 TSM688 Premium Diamonds
- 1 Pack of Skate Honing Stones
- 1 Gusto Glide, 1 Slick-it
- 1 apron, 1 towel, 1 brush and 1 window decal

* Blademaster Form Dressing (BFD) is available for flat bottom sharpening (see page 10)

Did You Know Training is included with the purchase of all equipment (some restrictions apply). 1 - 8 8 8 - 6 4 8 - 7 7 7 6 **1** - 8 0 0 - 8 7 8 - 4 6 4 8 www.blademaster.com





What is Variable Speed

Variable speed is the mechanism used to obtain consistent and optimal cutting action throughout the life of the grinding wheel. This is obtained by precisely controlling the rpm of the grinding spindle. As a grinding wheel is dressed, the diameter of the wheel becomes smaller and sharpening performance is compromised. To compensate, the grinding wheel rpm is increased in order to maintain a constant rate of surface feet per minute across the blade. To put this in laymen's terms: the smaller the wheel, the faster the spindle must turn.

Why Variable Speed

Maintain consistent grinding action throughout the life of the wheel and optimize grinding wheel life. Use your wheels right down to the blotter, without sacrificing performance.

Computerized controllers are programmed to increase the rpm of the grinding wheel spindle as it is dressed to a smaller diameter. Blademaster has carefully engineered the correlation between the spindle rpm and wheel diameter to give the optimum grinding action and performance throughout the life of the wheel.

Did You Know

Blademaster is proud to maintain a Skate Sharpening Museum. Come explore skate sharpening history from the 1950's and beyond.



TRIPLE STATION MACHINES

PLA3VSV



- Third generation exhaust system offers enhanced suction and is the quietest design on the market. Filter maintenance is simplified and a single grit pan makes cleaning easier than ever!
- Redesigned hood featuring high intensity LED lighting and retractable Lexan shields.
- Cabinet includes additional shelving for storage of accessories and commonly used tools. Rear access panels in the hood and dual sweep trays are standard.
- Largest work surface (table top) in the industry. Available in granite or steel.





Logos and other machine customizations are available upon request.



Dimensions: H - 58", W - 34.5", L - 65" (with dual sweep trays - Length 78")



APEX HOOD

- New hi-intensity LED lighting.
- Retractable Lexan™ shields.
- Available with custom colours and logos.
- Hi-fi Audio system includes:

Pioneer Car Stereo

14 Watts RMS @4 OHMS

Bluetooth Capable - C/W Mic, Call Answer

USB Port for Song Storage

Aux input for 1/8 stereo jack

iPod/iPhone connectivity

CD Player/MP3

Support for active or passive subwoofer

Side ports for connection of external rear

speakers (not included)
Pair of Polk Audio Atrium

2 Indoor/outdoor speakers included (connect up to 4)

80 Watts continuous



APEX HOOD



TRIPLE STATION MACHINES

6

HYBRID

Dimensions: H - 58", W - 34.5", L - 65" (with dual sweep trays - Length 78")



PLA3HYB

- Third generation exhaust system offers enhanced suction and is the quietest design on the market. Filter maintenance is simplified and a single grit pan makes cleaning easier than ever!
- Redesigned hood featuring high intensity LED lighting and retractable Lexan shields.
- Cabinet includes additional shelving for storage of accessories and commonly used tools. Rear access panels in the hood and dual sweep trays are standard.
- Largest work surface (table top) in the industry.
- Steel table top.

Did You Know

Leasing is available on all equipment, including flexible payment schedules to match the hockey season.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

www.blademaster.com

BRLEG1FSF

- 3 station machine with 2 finishing stations and 1 direct drive cross grind station.
- Smaller footprint than angled-top machines. Ideal for busy locations where floor space is at a premium.
- Front feed system with integrated dual mounted radius arms with hardened steel pivot points for precise, long lasting wheel dressing. Use with Blademaster precision diamonds to guarantee the correct radius every time (see page 38).
- Industrial Grade Exhaust system.



Dimensions: H - 52", W - 27.5", L - 48.5" (with sweep tray - Length 54.5")




Did You Know

You can view
Blademaster's full line
of instructional videos
on You Tube.

DOUBLE STATION MACHINES

BRINFFS



- 20% smaller foot print than the LEGEND (BRLEG1FSF) machine.
- Front feed system with integrated dual mounted radius arm with hardened steel pivot points for precise, long lasting wheel dressing.
- There are no single arm cams or bearings to wear or loosen.
- Direct-drive cross-grind station is designed for contouring with the CRM6 system (see page 22).

INFINITY

Dimensions: H - 53", W - 27.5", L - 40.5" (with sweep tray - Length 46.5")



Did You Know

Blademaster sells certified used equipment and can accept trade-ins towards purchase of new.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

www.blademaster.com

1 - 8 0 0 - 8 7 8 - 4 6 4 8

8

BRCEX1

- Combination Finishing & Cross Grind Station with built-in filtered exhaust system.
- It has a convenient front feed system and comes complete with diamond dresser, low profile casters, tommy bar, wheel wrench, safety glasses, sweep tray, vacuum hose, and an 8VBP premium 8" grinding wheel.
- Support for optional CRM6 Custom Radius Contouring System. (see pages 21 & 22)
- Perfect for smaller operations that still want to offer complete skate sharpening services, including contouring.
- Teflon coated table top.



Head pivots between cross-grind & finishing positions

COMBO

Dimensions: H - 51.25", W - 25.5", 30.5" (with sweep tray)




Did You Know

Head Office is open Monday through Friday, 8am to 5pm EST.

10

FORM DRESSING AND DIAMOND ROLLS




The Blademaster Advantage:

- Precision CNC machined and plated with natural diamonds so that the shape of the roll never changes. You get a consistent dress every time.
- Largest diameter dressing roll on the market. A larger diameter takes longer to reach the speed of the grinding wheel and prevents stone crushing.
- A larger roll means more diamonds which gives you more dresses per roll. This equates to longer roll life and reduced dressing costs.

	1000			
Special	rolls	available	unon	request
Special	1 Ona	avanable	UDON	LOGUESE









MPFD300

Blademaster's precision form dressing system is designed for use with any skate sharpening machine. It is independent of the finishing head, which gives a consistent dressing height from wheel to wheel and machine to machine. This feature greatly reduces the need for holder height adjustment.

■ 1-888-648-7776 www.blademaster.com

RE₁

- The RE1 offers a significant reduction in the noise level at the sharpening station compared to a conventional self-contained machine exhaust.
- The RE1 is situated in a remote location away from the sharpening machine and repair / service center. Heavy grit and dirty filters are kept away from the machine's operator(s).
- The RE1 system is virtually maintenance free. Empty the heavy grit far less often (monthly) and rarely clean /change the filter (annually) depending on usage.
- The RE1 is designed to work with 2 triple-head machines, or any combination of 6 Blademaster heads (cross grind and/or finishing).

REMOTE EXHAUST

Floor Dimensions: H - 79", W - 47", L - 41"



- The RE1 system is remote, it can be situated up to 20 feet away from the machines. It can be located in a closet, basement, attic or outdoors provided it is protected from the elements, however it does not need to be in a heated environment.
- The RE1 replaces Blademaster's self-contained exhaust. It requires 6" PVC plumbing from the inside of the sharpening machine to the remote RE1. PVC pipe and installation not included.

DUST COLLECTION AND AIR FILTRATION SYSTEMS

12

PORTABLE EXHAUS

Dimensions: 37-1/4" wide, 23" deep, 48-1/2 to 53" tall (top of scoops) Table working height is 34-3/4"



RE3

- 800 CFM Ultra Quiet Exhaust System
- An efficient, disposable pleated filter element with fire retardant coating. It carries a MERV 11 efficiency rating which captures > 95% of 1-3 microns of contaminants.
- Dual Adjustable Scoop Design to accommodate 2 sharpening machines at the same time.
- Durable Rubber Work Surface
- Heavy Duty Casters for easy storage and movement.
- SC9500 Optional Cart available.

Did You Know

Proper filter cleaning and maintenance can extend filter life.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

www.blademaster.com

XFCP

Portable C kit for all Blademaster **Portable Skate Sharpeners**

- 1 8MXRUBY finishing wheel
- 1 BR100 skate gauge
- 1 pack of 4 honing stones
- 1 bottle of Slick-it
- 1 replacement diamond
- 1 Blademaster towel
- 1 Blademaster apron, gusto glide and grit removal brush.

BRPPRO2

NEXT GENERATION PRO SERIES PORTABLE SKATE SHARPENER

- The industry's only portable sharpener to include variable speed control. Maintain consistent cutting action throughout the life of the grinding wheel. See page 3.
- Lightweight Only 80lbs
- Finishing head permits use of the entire grinding wheel, right down to the blotter (4 ½")
- Magnetic Teflon Coated Table Top
- Dust Proof On/Off Switch



PORTABLE SKATE SHARPENING MACHINES

14

BRC2005


Wheels

- Pro Series Combination Portable Skate Sharpener has a large magnetic teflon coated table top for easier skate sharpening.
- Combination Finishing & Cross Grind Head Station. Includes convenient front feed system, diamond dresser, tommy bar, safety glasses and 8" grinding wheel so you are ready to sharpen skates immediately.
- Inlet ports & ducting to accept customer exhaust vacuum.


FINISHING POSITION

1 - 8 8 8 - 6 4 8 - 7 7 7 6

• Built to accept the Mark 6 Custom Radius System. Comes in its own durable travel case with pullout & travel wheels.



BRC2005B



Same as BRC2005, but without carrying case.

ALADEMASTER **CROSS GRIND POSITION**

1 - 8 0 0 - 8 7 8 - 4 6 4 8

CROSS GRIND POSITION

www.blademaster.com

16



PERSONAL SKATE SHARPENING MACHINES



- 1/2 hp motor
 - 3450 rpm
 - Uses 8" wheels
 - 120 V, 60 Hz, 7.5 A
 - Multi purpose skate holder, pick protector, finishing wheel and training DVD included
 - Weight 70 lbs
 - 11" H X 19" W X 17.5" L

FIGURE SKATE SHARPENER Included Carry case sold separately

XFCPF

Portable C kit for Blademaster **Detail Portable Skate Sharpeners**

- 1 88R finishing wheel
- 1 BR100 skate gauge
- 1 pack of 4 honing stones
- 1 bottle of Slick-it

1 Blademaster towel

- 1 replacement diamond
- 1 Blademaster apron, gusto glide and grit removal brush.



DETAIL STATION

- For all tabletop sharpening machines, 3" detail station heads may be substituted for any of the standard 8" finishing heads.
- A dedicated detail portable is also available in both travel and bench models (BRPD1 / BRPD1B). Similar to BRPPRO2, but without the variable speed feature.
- The SH6500 holder provides mar-free clamping and is recommended for sharpening figure skates (see page 25).



PP100

Pick Protector for figure skates (sold separately)

3DR - RUBY

3DW - WHITE



3" Detail Wheel: 120 grit grinding wheel. Premium ruby abrasive 3" Detail Wheel: 120 grit grinding wheel. Ideal detail work.

3BW



3" buffing wheel enables operator to buff skate blade without disturbing skate edge

FIGURE



RECOMMENDED SHARPENING FIGURE SKATES							
	Radius of Hollow Grind	Flat Bottom					
' Dance	1/4"	GX6					
ce	3/8"	GX6					
' Free Skating	1/2"	GX7					

5/8"

3/4" - 1 1/4"

GAUGING ACCESSORIES

Ladies' & Mens' Dance Childrens Dance Ladies' & Mens' Free Children's Free Skate

Combination Figure/Free Skating For all <u>Skaters</u>

18

GX7

GX7 - GX8

BR1000

- The patented squareness gauge is a fast and accurate way for the operator to tell if the edges of the blade are ground square without taking the skate out of the holder!
- The tool is secured to the holder with a magnet and the magnetic angle is set on the blade close to the face of the squareness edge.
- This gives the operator a visual reading of how square the two outside edges are in relationship to the side of the blade and adjustments can be made without removing the skate from the holder.

INTEGRATED IN-PROCESS SQUARENESS GAUGE



BR1001 replacement angle for BR1000

Did You Know

Blademaster boot expander tools can be used for skates, ski boots, and shoes.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

Did you know that two increments on all dial adjustment holders equal one graduation on our BR100 and BR1000 squareness gauges?

www.blademaster.com



BR100

- The Pro-Square is a fast and accurate way for the operator to tell if the edges of the blade are ground square.
- The tool is secured to the blade with a nylon thumbscrew & the magnetic angle is set on the blade close to the face of the Pro-Square. This gives the operator a visual reading of how square the two outside edges are in relationship to the side of the blade.



BR1001 Replacement angle for BR100

BR33 Nylon thumb screw for BR100.





HDI100

The Hollow Depth Indicator is a measuring tool that indicates precise depth of hollow & the edge balance. This indication by the HDI will totally remove the skate grinding guesswork & delivers confidence to the skate sharpening professionals & skater.



BHC2005

Engineered to ensure square edges by comparing the center line of the grinding wheel to the center of the blade. Magnetizes on top and bottom.

BOOT EXPANDER TOOLS & WALKER PRESS

LS & WALKER PRESS 20
BE02400



BOOT EXPANDER

BE02111: Boot Expander with Accessories. This mini-hydraulic pump is a versatile tool that stretches length as well as width, works well for inline and ice skates.

BE02106: Extensions (small, medium, large).

BE02107: Micro Toe Adjuster.

BE02108: Set of Toe Pieces.

BE02109: Set of Five Buttons.

BE02110: Boot Expander Pump with Hose Assembly

BE02106115: Rings for Extensions (Set of 5).

WALKER PRESS

BE02400: Walker Press with Accessories: Easy to use tool, allows you to customize all types of footwear. Designed to get into hard to reach spots, and works with or without our Boot Expander.

BE02145: Walker Press Attachments.

BE02420: Boot Expander Adapters.

BE02150: Small Heel Block with Button: Designed to widen the heel area & eliminate the need to grind & weaken the boot, also maintains the heel shape when stretching for length.

- 1. **BE02301:** X-Large Forefoot Expander: Designed to offer 3-dimensional expansion of the forefoot when used in conjunction with the boot expander.
- 2. **BE02295:** Medium Forefoot Expander. See above description.
- 3. **BE02290:** Small Forefoot Expander. See above description.
- 4. **BE02285:** Extra Small Forefoot Expander. This tool can be used to do work on the toe box of hockey skates, shoes, and small ski boots



THIRD HAND

BE02200: Holds 2 boot expanders, and has a handy place to store accessories. Bolts directly to your workbench so you can easily work on two boots at once. Keeps bench clean for maxiumum efficiency. (Tools not included).



ACCESSORIES


BE02120: Boot Expander Without Hose; Designed to work with the Walker Press & for those times when you don't need the length of the hose.

BE02125: Forefoot Wedge: Designed to prevent the top of the boot from collapsing during stretching.

BE02130: Large Heel Block: Designed to widen the heel area & eliminate the need to grind & weaken the boot. It also maintains the heel shape when stretching for length.

BE02135: Micro Toe Expander: Designed to precisely stretch problem toe areas.

BE02302: Set of 3 block sole supports to give you that extra angle when stretching.



Medium

Small

SC8500

Dimensions: 30" W x 21" L x 37" H

SC7600

Dimensions: 19" W x 17" L x 31" H

- Dries up to 12 pairs of skates or gloves in approximately 5 minutes.
- Adjustable stainless steel arms & hangers.
- Heavy duty casters & high temp safety switch

- Dries up to 6 pairs of skates or gloves.
- Adjustable stainless steel arms & hangers.
- Redesigned for more heat and higher blower output than previous models.
- Comes in its own durable travel case with pullout handle and travel wheels.



CUSTOM RADIUS CONTOURING SYSTEM

22

CONTOURS MATTER!

What if you could...

 Cover an extra 2 feet when crossing the neutral zone Take corners at least 5% faster • Shave 0.3 seconds off your time in a 110m performance test

Average Results for players after having their skates contoured*



If hockey was only a game of speed, a very long single contour would enhance speed. But then it would be called speed skating.

If hockey was only a game of turns and pivots, a very short single contour would enhance agility. But then it would be called figure skating.

Hockey requires the best of both - and only Blademaster's Custom Radius Mark 6 System can achieve this!


Blades are manufactured with a single contour. They cannot possibly match the demands of today's game, individual preferences or produce performance advantages. Contouring the skate blade enables the player to better realize their full skating potential.

Talk to your local Blademaster Custom Radius specialist for more information on the revolutionary new Mark 6 system, or visit www.blademaster.com.



2" Flat 10 ft


of it 2 year study conducted by: Kiely Lockwood, Ph.D. The Skating Lub @ Brock University



Combo Bars

Rear <u>Radius</u> 10 ft Working Radius

<u>Front</u> <u>Radius</u> 9 ft



1 1 - 8 8 8 - 6 4 8 - 7 7 7 6

www.blademaster.com

CRM6 Contouring System

- Industry unique, patent-pending, single-point contouring system. Supports new compound contours with 2" flat sections.
- Guarantees an exact transfer of the desired contour from the template to the blade. Custom template bars are available upon request.
- Includes adjustment for pitch, allowing the operator to tune the balance point for a forward, backward, or neutral lie.
- Perfectly match both left and right skates, and customize to suit player preferences and on-ice position (eg. offense/defense).

Mark VI (CBC) Radius Bar

Blademaster can custom make radius bars



Eight Bars are included with the CRM6; Standard Bars: 7', 9', 11', 13' Combo Bars: 9'/10', 10'/11' Combo-Flat Bars: 9'/10' with a 2" flat 10'/11' with a 2" flat

CBCTG1

4-sided custom radius contour gauge. Measures 7, 9, 11 & 13ft radius before or after contouring

CRBG

Custom Radius Boot Gauge
Used to locate the body
balance point and outer
parameters of the contour

SKATE SERVICE AND MAINTENANCE

24

SC1500: Deluxe Work Bench and Shelving Unit: Durable rubber work surface. Ergonomically designed for user comfort and productivity.

SC1500SF: Bench only.

SC1502A: Assembled top shelf assembly.

SC2300: Boot Warming Oven Cart.

SC2400: Boot Stretcher. Includes 3 sets of lasts: mens, womens, and childrens.

SC2800: Boot Warming Oven: Complete with digital temperature controller, timer on/off switch and large enough to work with ski boots.

SC2100: Custom Service Centre: Features all the tools needed for custom skate work on hockey & figure skates. Heavy duty metal construction deluxe workbench with durable rubber working surface is ergonomically designed for user comfort & productivity. Has storage bins, 9 drawers & 2 door storage cabinet. Comes with heat oven & boot stretcher module, boot punch, blade vise, boot stand, riveting machine with complete sets of tools for hockey & figure skates, 8 boxes of rivets, 1 box of eyelets and 1 box of hooks.


SC2100

SC2400
SC2800
SC2300
SC1500F
SC2300

SC2800

■1-888-648-7776 www.blade

www.blademaster.com



PRECISION SKATE HOLDERS

26

GENERAL PURPOSE

SH2000

Entry level "Ultra Glide" skate holder can be used on most skate types. Traditional cam-handles provide height adjustment.

fixture to straighten & recheck the blade.

SH6000

Professional skate holder that originated dial-increment adjustment. Allows for precise three-dimensional adjustment.



SH2000



SH6000

SPECIAL PURPOSE

SH6500

Ideal for Figure Skates, the SH6500 holds side honed figure blades in the holder by clamping the blade by the stanchions, ensuring square edges. The aluminum clamp and anvil provide mar-free clamping.

SH7000

Ideal for Goalie Skates, the SH7000 is an excellent all around holder and has a wide stirrup to accommodate skates that will not fit over a traditional clamp post.

SH7700

Ideal for Child Skates, the SH7700 multi-purpose holder has a smaller anvil to support shorter skates that will not fit over a traditional clamp post.

SH8000

Portable and lightweight professional skate holder, ideal for travelling teams where size and weight are a concern.



1 - 8 8 8 - 6 4 8 - 7 7 7 6 www.blademaster.com

811PR

RIVETING EQUIPMENT

TSM811T

Bench Riveter: Hand operated riveter. Comes complete with sets & dies for removing steel rivets and installation of both steel and copper rivets. Includes the TSM711CRR Copper Rivet Removal Tool and 1 pair of safety glasses.

811BK Base Accessory Kit

811BK includes:

- Steel Rivets 711916SR 9/16" 7111016SR 10/16" 7111116SR 11/16"
- Copper Rivets 7111250CR 1-1/4"

7111216SR 12/16" 7111316SR 13/16" 7111516SR 15/16"

- 711DB Drill Bit
- 711TB Torque Bar

811CK Complete Accessory Kit

Same as 811BK plus:

- 71125P Plier
- 7113PA 3 Piece Adapter Set
- 711404B Eyelets
- 711404 Eyelet Installation Tools
- 71194HC Large Hook **Installation Point**
- 7112HA Hook Installation Tools
- 71194HW Lare White Hooks
- 71119 Small Buckle **Installation Tools**
- 71120 Large Buckle **Installation Tools**
- 71121 Small Buckle Removal Tools
- 71122 Frame Rivet **Installation Set**
- 711HR Hinge Rivet Tool Set
- 711409W Small White Hooks



TSM811B

Durable travel case for bench riveters. Fits both Blademaster TSM811T & BATTCO BAT600 riveters. Telescopic pullout handle & heavy duty travel wheels. (Riveter not included)

811PR

Powered by a pneumatic pump. Comes complete with sets of pockets, point tools & drive pin for the removal or installation of steel and copper rivets. Air supply required.

RIVETER TOOLING & ACCESSORIES

28





Copper Rivet Installation



71119 Small Buckle Installation



TSM711CRR **Copper Rivet** Removal Tool



71120 Large **Buckle**



71121 Small **Buckle** Installation Removal Tool Tool

71121TA TUUK **Rivet** Removal



Blademaster tooling to BATTCO riveter adapter set



711HPPS **Hockey Pant Fastener Tool**





Eyelet

Removal

Tool Set

711404XL





Eyelet

Adapter

7113PA

Adapter Set

tor eyelet &

hook tools



Installation

Point for

711260EJKB

711HR **Hinge Rivet** Set



711AA

Installation Tools.

for 711260EAAB

& 711XLA

71122 Frame Rivet Installation Tool



711DB 6" long shank drill bit for drilling holes in skate soles



71125P 6 Point Punch Plier



711TBG Solid Steel Torque Bar for **Goalie Skates**

BAT910

Reversible Adapter

BAT980 Large Ankle

BAT507

Small Pushout

Point

Removal

Copper Rivet

Installation

Point

BAT512

Large Hole

Support



Blademaster Rivet Removal Tool

This is the latest in copper rivet removal

TSERO0000



BAT510

Concave

Support

BAT511

Small Hole

Support



A: Copper Rivets - Box of 100 including steel washers.

B: Steel Rivets (Tubular) - Box of 250

C: Steel Washers - Box of 100. For solid copper rivets

D: Copper Washers - Box of 100. For solid copper rivets.

* For complete listing of available sizes, see price list.





Black Large Hockey Eyelet



711404B **Black Regular Hockey Eyelet**



711404XL **Black Regular Extra Long Hockey Eyelet**



711260EAAB **Black Tendon Guard Eyelet**



711XLA White Regular **Figure Eyelet**



711260EJKWN **Eyelet Washer**



202B Washers



Small White Hooks



Large White Hooks



Large Black Hooks



Large Brass Hooks

* Eyelets come in boxes of 250 with washers.

Did You Know

The TSE265 is our most common brass eyelet.



BRASS EYELETS 100/PKG						
Part ID	Number	Length (in)	Length (cm)			
TSE260	#60	0.290	0.737			
TSE261	#61	0.351	0.892			
TSE262	#62	0.375	0.953			
TSE264	#64	0.410	1.041			
TSE265	#65	0.445	1.130			
TSE266	#66	0.480	1.219			

EYELET WASHERS

TSE2EW Brass Eyelet Washer (200/pkg)

*Two TSE2EW washers are required for each eyelet – one on the top and one on the inside

REPAIRS & MAINTENANCE

32



SH6075A **Bronze Clamp Assembly** Fits: SH6000 & SH8000

TSM1630

Bronze Clamp Assembly

Fits: SH1000 & SH2000



CAM HANDLE Fits: SH1000-SH3700 series skate holders.



SH5037 **Cam Wear Bearing**



BRC639: Replacement shield for BRC500.

DH6775SR: Replacement shield for DH-series and INFINITY machines.

TSM6775SR: Replacement shield for 900-series, 2000-series, and **LEGEND** machines.

VSV1035SR: Left & Right replacement shield for VSV & HYBRID machines.

VSV1036SR: Center replacement shield for VSV & HYBRID machine. PLA1035LSR: Left replacement shield for PLATINUM machine.

PLA1035RSR: Right replacement shield for PLATINUM machine.

PLA1036CSR: Center replacement shield for PLATINUM machine.

PLA 2052: Left side replacement lexan shield for PLA3VSV machine.

PLA 2041: Center replacement shield for PLA3VSV machine. PLA 2046: right side replacement lexan shield for PLA3VSV machine.



EG2010 Anvil & Clamp Assembly - SH3000



BHC1040 Spring Plunger



TSM380

Guard Screw. For all Blademaster machines & portables.

1 - 8 0 0 - 8 7 8 - 4 6 4 8



TSM695 Face Plate Screw. For all Blademaster machines & portables.



TSM3000 **Blade Straightener:** Easy operation. Can be mounted to machine.

TSM3040: Half Moon Anvil.

TSM690

Star Dresser: To dress cross grind wheels. Includes 4 stars & 2 washers.

Replacement stars for TSM690. Includes 4 stars and

TSM395 Tommy Bar

> TSM390 Wheel Wrench

www.blademaster.com

A&R Product Line

- Bags Figure, Roller, Helmet, Puck, Stick, Laundry, Stick Vault
- Balls Street Hockey, Wood Stick Handling
- Blade Covers Terry Cloth, Furry
- Blade Guards Hockey, Figure, Custom
- Boot Covers
- Bracelets/Necklaces
- Butt Ends
- Captain Letters
- Chin Cups, Ear Slings
- Chin Straps
- Coach Accessories Boards, Cones, Scrimmage Vests, Whistles
- Cold Pack
- Cups & Supporters
- Cleaning Products SPIT
- First Aid Kit

- Figure Skate Accessories Bags, Gloves, Guards, Skate Covers, Key Chains
- Garter Belts
- Gloves
- Glue Sticks
- Hand Stones
- Hand & Foot Warmers
- Helmet & Skate Hardware
- JohnnyGard™ & JennyGard™ Compression Shorts
- Key Chains
- Laces
- Lace Tighteners
- Magnets
- Microfibre Cloth Shammy for Shields
- Mini-Hockey
- Mouth Guard Cases

- Number Decals
- Odor Aids
- Re-EdgerTM
- Sharpening
- Shin Pad Sleeve
- Shin Straps
- Socks
- Stick Wax Products Stick Wax, Wax On™
- Stick Weight
- Suspenders
- Scrimmage Vests
- Skull Cap
- TuffTerrysTM
- Ultra TuffTerrys™
- Whistles Coach, Referee, Lanyard
- Wipe 'N Dry
- Wrist Guards

Skate Medic

- Fresh edges when you need them the most! A must-have tool for the team bench or in your hockey bag.
- Easy to use maintenance tool is designed for touch up and repair of damaged edges. Dual-stone action repairs both the Radius of Hollow (RoH) and the blades sides.
- •Stones can be rotated and easily cleaned with warm water or a citrus based cleanser to extend the life of the tool.
- Available for hockey skates (SKMEDIC) and Goalie/Figure skates (SKMEDICFG).



PROMOTIONAL

34



IB1000E English Vinvl Banner 48" x 18"



Decals



IB1000F French Vinvl Banner 48" x 18"



IB1000BFDE **English BFD Vinyl Banner**



IB1000CRM6E **CRM6 VINYL BANNER**



TSM700 Blademaster hand/ skate towel with logo.



TSM9001 **Blademaster window** decal



LD9001CRM6E **CRM6** window decal



D9001BFDE **English BFD Window Decal**

BFDDS1

BFDP1

(25/pkg.)

Display Stand

Brochures Only

Blademaster Brochure





IDVD 1000 Biademaster Skate Sharpening Instructional Video. DVD available in NTSC & PAL formats. Please spcify.



Blademaster Golf Shirt Sm, M, L, XL, XXL



with logo.

BFRRK100

Diamond Roll Rack

Conveniently holds

12 diamond rolls



Blademaster Custom Boot Stickers. Package of 100

Blademaster Ball Cap

1 - 8 0 0 - 8 7 8 - 4 6 4 8



SC9040



BR115 ANSI approved anti-fog lenses and adjustable

1 - 8 8 8 - 6 4 8 - 7 7 7 6 www.blademaster.com

HAND HONES AND CLEANERS

TSM4065: Sports Equipment Sanitizer & Deodorizer.

TSM4060: Anti-static spray for Blademaster safety shields.

TSM4050: Granite Glaze: granite table top cleaner & polisher. Provides a dry, slick polished surface.

TSM4040: Slick-It: Tabletop cleaner & polisher. Provides a dry, slick polished surface.

TSM4504: Combination Grit Coarse/Fine Crystolon Stone. 4 pack.

TSM4010: Blade Polishing Compound: Long lasting compound that improves finish on last pass.

TSM4025: Slik Stik Blade Polishing Wax: Creates blade gleam on last pass. Package of 5.

TSM4000: Skate Deburring Stone.

TSM4030: Gusto Glide: Blade application, which allows for cooler, cleaner skate sharpening on final pass plus a superior finish. Synthetic lubricant with anti-weld agents. (Includes 3 extra daubers).

TSM4032: One replacement Mohair Dauber: For TSM4030.

TSM5004: Rectangular Deburring Stone: Fine Grit. Package of 4.

TSM4200: Large Tear Drop Hand Hone (4.5"). Available in 4-pack as well (TSM4204).

TSM4004: Tear Drop Hand Hones: Fine Grit. Package of 4.

SC9 100: Remove unwanted grit around your tabletop, finishing heads, cross grinder & also great to use around the shop.



FILTERS AND GLIDE PADS

36

TSM6360: Cartridge Filter: Flame Retardant. For 900 & 2000 series machines. For 900-series, 2000-series, LEGEND, VSV, and HYBRID machines.

TSM6380: Long Life construction can withstand more routine cleanings than our standard filters - prior to replacement. Flame Retardant. For 900 & 2000 series machines (not shown). For 900-series, 2000-series, LEGEND, VSV, and HYBRID machines.

DH6360: Cartridge Filter: Flame Retardant. For DH2003FS, BRCEX1 & BRDEX1. For DH-series, BRCEX1, BREXD1 and INFINITY machines.

DH6380: Long Life construction can withstand more routine cleanings than our standard filters - prior to replacement. Flame Retardant. For DH2003FS, BRCEX1 & BRDEX1 (not shown). For DH-series, BRCEX1, BREXD1 and INFINITY machines.

PLA450: Replacement filter for PLA3VSV machines.

11502: Replacement Filter Bag: For RE1 remote exhaust. (Package of 1) RE1 requires 2 bags.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

RE303: Replacement filter for RE3 Portable Exhaust. MERV 11 efficiency rating. Fire retardant coating.

SH60656: Glide Pads: For use on SH6000, SH6500, SH7000 and SH7700 series skate holders. Package of 6.


SH6065BA6: Glide pad for SH8000 skate holder.

SG 1606: Glide Pads: For use on SH500, SH1000, SH3500 and SH3700 series skate holders. Package of 6.

UG2006: Glide Pads: For use on SH1000, SH2000, SH2500, SH3000 and SH3000M6 series skate holders. Package of 6.

MPFD11: Glide Pad for Multi-Purpose Form Dresser. Single unit.

BHC2015: Replacement pad for BHC2005.



SH6065BA6

1 - 8 0 0 - 8 7 8 - 4 6 4 8

www.blademaster.com

8VBP - The best edge retention in the industry. Maintains radius/shape longer than any other wheel, saving you money. Unsurpassed finish translates to a superior quality sharpening.

8GC - Exceptional wheel for holding form – requires fewer dresses between sharpenings. Cool cutting action.

8AS - High performance aerospace grade grinds cool and is optimal for edge retention.

O8RUBY - Open structured wheel for quick and cool cutting action. Ruby abrasive with a high chromium content.

88R - Uniform grit and closed structure for a superior finish for recreational figure skates and goalie skates.

8MXRUBY - Premium ruby abrasive with a high chromium content. Well suited to both carbon and stainless steel blades. Multi-grit.

8MXR - All-purpose multi-grit nitride grained wheel that is suitable for a wide variety of skate blades.

FINISHING WHEELS



8GC





8AS **O8RUBY**



8VBP





8MXRUBY 8MXR

CROSS GRIND WHEELS

8MXCGK

8MXCGB

6MXR

Did You Know

All Blademaster grinding wheels are precision balanced to eliminate vibration and chatter.



CGD500 Cross Grind Dresser

PROFESSIONAL

8MXCGK

8" Premium cupped cross grind wheel. Extra hard ruby abrasive cuts cooler and provides longer life - ideal for contouring.



8MXCGB 8" Standard cupped cross-grind

STANDARD

6MXR

6" cross grind wheel for use on all belt driven cross grind stations prior to 2000-series machines.

38

DIAMONDS & QUILLS

The Blademaster Advantage

Blademaster diamond dressers are made from the highest quality industrial diamonds on the market. All diamonds are made in North America and set to our exacting standards for concentricity and shank length. This ensures a precise radius on the grinding wheel every time, and minimizes the need for holder adjustments when the tip is turned.



TSM687 Standard single point diamond dresser, 1/15 carat diamond.

TSM688

Premium single point diamond dresser, larger 1/7 carat heavy-duty diamond for longer life.



Diamond Quill

Replacement Dlamond Quill. Calibrated in both Imperial and Metric measurements on each quill. Comes complete with TSM688 diamond.

TSM680N Standard

TSM680PRO

(Pro & Detail Portables only)



A poor finish and blade chatter are possible signs that a diamond is dull and in need of replacement.

1 - 8 8 8 - 6 4 8 - 7 7 7 6

www.blademaster.com